The challenges and opportunities of providing abortion care in an NHS service during the COVID-19 pandemic





Dr Rebecca Johnson, Dr Manika Singh
Unity Sexual health, University Hospitals Bristol & Weston NHS Foundation Trust

Introduction:

Using RCOG guidance (2020), our service changed dramatically to respond to the Covid-19 pandemic:


- Remote initial assessments of all patients face-to-face appointments only where appropriate
- Ultrasound not required routinely prior to termination; gestation reliability assessed first
- Early medical abortion at home (EMAH) offered first line (postal/collection service available)
- Manual vacuum aspiration (MVA) service set up
- Fast track Long Acting Reversible Contraception (LARC) Service set up

Aim:

• To describe the impact of change, triggered by Covid-19, from developing innovative pathways that maximise the use of remote consulting and facilitate rapid access

Methods:

- Data was extracted (abortion method, whether an USS was conducted and patient age) from a database of all patient attendances from April-September 2020 and compared with the same period in 2019.
- Patients were excluded if there were missing records on any of the above categories



Conclusion:

- Spending less time face-to-face with patients- performing more EMAH's, fewer scans, and fewer surgical abortions
- More accessible, flexible and accommodating services now available
- Young or vulnerable people may be disadvantaged by the pandemic; accessibility, safeguarding, and contraception should be considered
- Research should target challenges faced by vulnerable people and adverse outcomes of remote consulting, while taking into account patient experiences and the positive changes we should strive to keep

One incident: Mifepristone taken at home after 10 weeks gestation by patient

References:

Royal College of Obstetricians and Gynaecologists (2020). *Coronavirus (COVID-19) infection and abortion care. Information for health professionals. Version 3.1.*Available from: https://www.rcog.org.uk/globalassets/documents/guidelines/2020-07-31-coronavirus-covid-19-infection-and-abortion-care.pdf [Accessed 04/10/20]